


FABRIC BLIND

INSTALLATION GUIDE



Lift Control:

**CORDLESS
- NO DRILL**



CONTENTS

Getting Started

- Included in Package-----1
- Installing No Drill Fabric Blind-----2-3
- Installing Hold Down Brackets-----4

Fabric Blind Operation Information:

- Blind Operation-----5
- Cleaning and Care-----6

Child Safety

- Warning / Warranty-----7-8

Thank you for Choosing our Fabric Blinds for your Residential or Commercial Property.


We are confident that you will find our Fabric Blinds to be of superior quality and value, compared to other shades available.

In this guide, you will find useful information about installation, child safety, cleaning, and warranty when using your shade.

**READ ALL INSTALLATION INSTRUCTIONS BEFORE INSTALLING.
PLEASE KEEP FOR FUTURE REFERENCE / TROUBLESHOOTING.**


INCLUDED IN YOUR PACKAGE

Fabric Blinds - Cordless - No Drill



Allen Wrench

Quantity: 1
Used to pull and push the shade up and down.



Hold Down Bracket

Quantity: 2
Used to pull and push the shade up and down.




THINGS TO CONSIDER BEFORE YOU BEGIN YOUR INSTALLATION

Your new blinds are custom made to your specifications from the finest materials available.
The installation should be easy and your blinds will look elegant.

Installation

Install the plunger side (left) first.




End Cap Plunger
(left)


Shroud

End Cap Grip
(right)

1. Push the plunger in firmly so the End Cap Grip (right) of the blinds fits into the window frame.




2. Allow the plunger to extend so the blind is flush with the top edge of the window.



3. Now tighten the plunger clockwise using the provided Allen wrench to keep the blinds in place.



4. Slide the shrouds on the right and left of the headrail to cover the Allen wrench hole and the end cap grip.





5

INSTALLING HOLD DOWN BRACKETS

(Only if you have ordered hold down brackets)

- Lower the blind to the desired height.
- Position the hold down bracket to align the tab.
- Mount the bracket using the two screws provides (see Fig.1). Insert the tab into the pre-drilled hole. To raise or lower the blind, release the bottom rail from the brackets by pulling the brackets away from the bottom rail.

**INSIDE MOUNT - Hold Bracket**

- Install the bracket **inside** window frame.

FABRIC BLIND OPERATION

Cordless Lift System


To raise the blind, gently lift the center of the bottom rail upward to the desired height.

To lower the blind, pull down evenly on the center of the bottom rail until the desired position is reached.

Tilting the Slats

Tilt Wand

Rotate the wand to open or close the fabric slats and adjust light control.



CARE AND CLEANING

The Fabric Blind is made from durable polyester fabric slats with a protective finish designed for easy maintenance and long-lasting performance. Regular light cleaning will help keep your blind looking its best. The slats can be feather dusted or vacuumed on a low setting using a soft brush attachment. Spots or stains can be gently cleaned with a damp sponge and mild soap. To avoid discoloration or damage to the material, we recommend against the use of chemical cleaners or abrasive products. Allow the blind to air dry completely after cleaning. The fabric slats are moisture, dust, and stain resistant, making them suitable for most living spaces, including kitchens and bathrooms.

Remove The Shade

Turn the key counterclockwise to unlock and release the tension until the blind is no longer firmly compressed against the window frame. You may hear clicking as the mechanism releases.

Cleaning Procedures

For most fabrics, the following options are available if your shade needs cleaning.

Dust Removal

In most cases, just use a feather duster to gently dust off regularly

Vacuuming

Use a low-suction hand-held vacuum cleaner to remove dust more thoroughly

Hair Dryer

Use a hair dryer to turn on the cold air to blow away the dirt and debris between the blades.

Spot Cleaning

- Prepare a solution of warm water and a mild detergent.
- Dampen a clean cloth in the solution and wring out.
- Dab the spot with the dampened cloth until it is gone. Do not rub the fabric.
- Allow the shade to dry in the completely lowered position.



Window Blind Cord Strangulation Risk

A damaged, loose, or missing tension device poses a strangulation risk to children. Remove from use and repair or replace if tension device is damaged, loose, or missing

IMPORTANT SAFETY WARNING:

Window cords can pose a potential strangulation hazard to young children. According to the U.S. Consumer Product Safety Commission, corded window coverings are among the top five hidden hazards in American homes. Check your window coverings for exposed or dangling cords and retrofit or replace them with today's safer products.

Never place a crib, playpen, bed or any type of low-standing furniture near a window. In exploring their surroundings, young children can accidentally fall through an open window or window screen, or become tragically entangled in a nearby window cord. Whenever possible, place cribs and furniture on a non-windowed wall.

Dangling or accessible cords on window coverings can pose an accidental strangulation hazard to infants and young children. For your safety, replace older corded window coverings with today's safer products.

The Window Covering Safety Council (WCSC) and government safety officials recommend that you only use cordless window products in homes with young children.

CHOKING HAZARD:



- Keep cord out of reach from children.
- Remove objects below window.
- Do not tie cords together.
- Make sure safety cords are located 1-2 inches below the headrail.
- Please reference all warning tags in the instructions and on the shade.
- Please keep cords out of children and pets reach, a cord cleat or a cord tensioner device can be found at a local window covering store.



EMERGENCY / FIRST AID

- Remove cord from child's neck
- Call 911 or an Emergency Call Center
- Clear the throat
- Check breathing and heartbeat
- Begin CPR if trained

THIS PRODUCT IS...



LANTEX USA, INC. LIMITED WARRANTY

Effective Date: June 1, 2026

(Products purchased prior to this date remain subject to the warranty terms in effect at the time of original purchase.)

1. Limited Warranty Coverage

Lantex USA, Inc. ("Lantex USA") warrants to the original purchaser that its blinds and shades, including, without limitation, Wood Woven Shades, Fabric Horizontal Blinds, Sheer Vertical and Horizontal Shades, Roman Shades, Zebra Shades, Cellular Shades, Aluminum Blinds, Pleated Shades, and painted or stained valances (collectively, the "Products"), shall be free from defects in materials and workmanship under normal residential use and service during the warranty periods set forth herein.

For purposes of this Limited Warranty, "normal residential use" shall mean ordinary indoor residential use by the original purchaser in accordance with Lantex USA's written instructions, specifications, and operating recommendations.

Coverage under this Limited Warranty applies only where:

- The Product was properly measured, installed, operated, and maintained in accordance with Lantex USA instructions and specifications;
- The Product was manufactured or assembled by Lantex USA or its authorized manufacturing partners using approved materials and components; and
- The Product has not been subjected to misuse, abuse, neglect, accident, alteration, improper installation, improper maintenance, or abnormal environmental conditions.

Residential Warranty Periods

- Hardware and mechanical components: three (3) years from date of purchase;
- Fabric materials: three (3) years from date of purchase; and
- Motorized components: five (5) years from date of purchase.

Motorized Components

Motorized Products are programmed at the factory. Lantex USA shall not be responsible for malfunctions, operational failures, or damage resulting from unauthorized programming, reprogramming, resetting, modification, tampering, or use of non-approved third-party control systems, accessories, or software. Unauthorized modifications or alterations may void warranty coverage applicable to motorized components.

Commercial Installations

For Products installed in commercial or non-residential applications, warranty coverage shall be limited to three (3) years from the original date of purchase, regardless of Product type or component. Commercial applications include, without limitation, offices, retail establishments, hospitality venues, schools, medical facilities, rental properties, and multi-unit common areas.

2. Warranty Eligibility and Limitations

This Limited Warranty extends solely to the original purchaser and is non-transferable. Proof of original purchase shall be required in connection with any warranty claim.

Lantex USA's obligations under this Limited Warranty are expressly limited, at its sole option and discretion, to repair of the defective Product or component, replacement of the defective Product or component with the same or a substantially similar Product or component, or refund of the original purchase price paid for the defective Product or component.

Replacement Products or components may contain similar or equivalent materials, parts, or features and may differ from discontinued or obsolete Products.

Any repaired or replaced Product or component shall remain subject only to the original applicable warranty period and shall not extend, renew, or restart the original warranty term.

Lantex USA reserves the right to inspect any allegedly defective Product prior to approving any repair, replacement, or refund request.

Lantex USA shall not be responsible for:

- Shipping, freight, delivery, or transportation charges;
- Labor costs associated with removal, reinstallation, adjustment, measuring, or service calls;
- Damage resulting from improper measurements or installation performed by dealers, installers, contractors, or other third parties;
- The acts, omissions, workmanship, or services of independent dealers, installers, contractors, or other third parties;
- Replacement of discontinued Products or components where substantially similar substitutes are reasonably available; or
- Delays or inability to perform resulting from causes beyond Lantex USA's reasonable control.

Shipping Damage Claims

Claims relating to shipping damage, shortages, or transit-related defects must be reported in writing within ten (10) days following delivery. Failure to provide timely written notice may result in denial of the claim.

Required documentation shall include:

- Photographs depicting the damaged Product and interior packaging materials;
- A close-up photograph of the shipping label and tracking information;
- Photographs of the exterior packaging showing visible damage; and
- Such additional documentation as may reasonably be requested by Lantex USA or the applicable shipping carrier.

3. Warranty Service Procedure

To obtain warranty service under this Limited Warranty, the purchaser shall:

1. Contact Lantex USA Customer Service at 1-302-294-6552 or email customerservice@lantexusa.com;
2. Provide proof of original purchase together with a written description of the alleged defect;
3. Submit photographs, videos, or other supporting documentation reasonably requested by Lantex USA; and
4. Retain the Product, packaging materials, shipping documentation, and related correspondence pending resolution of the

LANTEX USA, INC. LIMITED WARRANTY

claim.

No Product may be returned without prior written authorization from Lantex USA. Products returned without a valid Return Authorization ("RA") may be refused or returned to sender at the sender's expense.

Updated WCMA safety standards and regulations may limit replacement options for certain corded products, including certain horizontal blinds and cord control lift ("CCL") systems. Where applicable, Lantex USA may, in its discretion:

- Repair and update the existing Product;
- Provide replacement parts intended to restore functionality and regulatory compliance; or
- Provide a substantially similar compliant replacement solution.

Lantex USA shall not be obligated to replace Products that are no longer compliant with applicable safety standards or regulations.

4. Exclusions from Warranty Coverage

This Limited Warranty does not apply to, and expressly excludes:

- Damage caused by accident, misuse, abuse, negligence, vandalism, improper handling, improper installation, improper maintenance, alteration, or unauthorized repair;
- Damage resulting from environmental conditions, including excessive humidity, moisture, heat, salt air, water exposure, fire, smoke, pollutants, or prolonged exposure to sunlight;
- Normal wear and tear, including fading, discoloration, fraying, stretching, warping, cracking, denting, scratching, or deterioration over time;
- Natural variations in color, texture, grain, weave, or dye lots;
- Minor imperfections that do not materially impair Product functionality;
- Consumable items, including batteries and other replaceable components;
- Products used outdoors unless specifically designated for outdoor use by Lantex USA; and
- Products modified or repaired by persons not authorized by Lantex USA.

All fabrics, finishes, paints, stains, and materials are subject to normal fading, discoloration, and aging over time due to sunlight exposure and atmospheric conditions. Such conditions constitute normal wear and tear and are not covered under this Limited Warranty.

5. Disclaimer of Warranties

THIS LIMITED WARRANTY CONSTITUTES THE SOLE AND EXCLUSIVE WARRANTY PROVIDED BY LANTEX USA WITH RESPECT TO THE PRODUCTS.

EXCEPT AS EXPRESSLY SET FORTH HEREIN, LANTEX USA DISCLAIMS ALL OTHER WARRANTIES, WHETHER EXPRESS OR IMPLIED, INCLUDING, WITHOUT LIMITATION, ANY IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, TITLE, AND NON-INFRINGEMENT, AS WELL AS ANY WARRANTIES ARISING FROM COURSE OF DEALING, COURSE OF PERFORMANCE, OR USAGE OF TRADE.

TO THE EXTENT ANY IMPLIED WARRANTY CANNOT BE DISCLAIMED UNDER APPLICABLE LAW, SUCH IMPLIED WARRANTY SHALL BE LIMITED IN DURATION TO THE APPLICABLE EXPRESS WARRANTY PERIOD PROVIDED HEREIN.

6. Limitation of Liability

TO THE MAXIMUM EXTENT PERMITTED BY APPLICABLE LAW, LANTEX USA, ITS AFFILIATES, OFFICERS, DIRECTORS, EMPLOYEES, AGENTS, SUPPLIERS, DISTRIBUTORS, AND DEALERS SHALL NOT BE LIABLE FOR ANY INCIDENTAL, INDIRECT, SPECIAL, EXEMPLARY, PUNITIVE, OR CONSEQUENTIAL DAMAGES, INCLUDING, WITHOUT LIMITATION, LOSS OF PROFITS, LOSS OF USE, LOSS OF REVENUE, DIMINUTION IN VALUE, OR COMMERCIAL LOSS, ARISING OUT OF OR RELATING TO THE PRODUCT OR THIS LIMITED WARRANTY, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

IN NO EVENT SHALL LANTEX USA'S AGGREGATE LIABILITY ARISING FROM OR RELATING TO THE PRODUCT OR THIS LIMITED WARRANTY EXCEED THE ORIGINAL PURCHASE PRICE PAID FOR THE PRODUCT GIVING RISE TO THE CLAIM.

Some states do not permit limitations on implied warranties or the exclusion or limitation of incidental or consequential damages. Accordingly, certain limitations contained herein may not apply.

7. Governing Law and Venue

This Limited Warranty shall be governed by and construed in accordance with the laws of the State of Delaware, without regard to conflict of law principles.

Any action or proceeding arising out of or relating to this Limited Warranty or the Products shall be brought exclusively in the state or federal courts located within the State of Delaware, and the parties irrevocably submit to the jurisdiction and venue of such courts.

8. Force Majeure

Lantex USA shall not be liable for delays, failures, or inability to perform its obligations under this Limited Warranty arising from causes beyond its reasonable control, including, without limitation, acts of God, natural disasters, labor disputes, transportation interruptions, supply chain disruptions, governmental actions, pandemics, material shortages, power outages, or other unforeseen events.

9. State Law Rights

This Limited Warranty gives you specific legal rights. You may also have other rights which vary from state to state.

FABRIC BLIND

Lift Control:

**CORDLESS
NO-DRILL**